

### **In the Claims**

Please amend Claims 1 and 8 as follows.

1 1. (Currently Amended). A rack for contiguously storing and displaying a number of symmetrical  
2 objects having parallel, planar opposite faces, said rack comprising:

3 a bottom frame;

4 a plurality of pairs of guides projecting substantially orthogonally from said bottom frame,  
5 each of said pairs of guides being shaped, dimensioned and positioned to removably hold one of said  
6 objects; and

7 a toggling mechanism in said bottom frame associated with each of said pairs of guides and  
8 positioned to outwardly push an object held between said pair of guides, said mechanism being  
9 actuatable by movement of said object; and,

10 wherein said toggling mechanism comprises a spring.

1 2. (Original). The rack of Claim 1 which further comprises a pair of flanged projections extending  
2 laterally from said rack and shaped and spaced-apart to capture the hanging folder rails of a common  
3 filing cabinet.

1 3. (Original). The rack of Claim 1, wherein said rack further comprises means for releaseably  
2 mounting said toggling mechanism to said bottom frame.

1 4. (Original). The rack of Claim 3, wherein said means comprise a window cut through said bottom

2 frame associated with said toggling mechanism, said window being sized and shaped to accept an  
3 intimately bear against a housing portion of said toggling mechanism.

1 5. (Original). The rack of Claim 1, wherein a first guide of said pairs of guides has a first thickness  
2 of about 0.3 millimeter.

1 6. (Original). The rack of Claim 1, wherein said toggling mechanism comprises:  
2 a plunger portion slidably engaged in a housing portion;  
3 said plunger being biased away from said housing portion; and  
4 a toggling arm for alternately locking said plunger in a lower resting position and an upper  
5 resting position upon the application and subsequent release of a downward force overcoming said  
6 bias.

1 7. (Original). The rack of Claim 6, wherein said toggling mechanism further comprises:  
2 said toggling arm being pivotally mounted to said plunger; and  
3 a shaft extending from said arm into a guide window in said housing.

1 8. (Currently Amended). ~~The rack of Claim 7,~~ A rack for contiguously storing and displaying a  
2 number of symmetrical objects having parallel, planar opposite faces, said rack comprising:  
3 a bottom frame;  
4 a plurality of pairs of guides projecting substantially orthogonally from said bottom frame,  
5 each of said pairs of guides being shaped, dimensioned and positioned to removably hold one of said

6 objects; and

7 a toggling mechanism in said bottom frame associated with each of said pairs of guides and  
8 positioned to outwardly push an object held between said pair of guides;

9 wherein said toggling mechanism comprises:

10 a plunger portion slidingly engaged in a housing portion;

11 said plunger being biased away from said housing portion;

12 a toggling arm for alternately locking said plunger in a lower resting position and an  
13 upper resting position upon the application and subsequent release of a downward force overcoming  
14 said bias;

15 said toggling arm being pivotably mounted to said plunger; and

16 a shaft extending from said arm into a guide window in said housing;

17 wherein said toggling mechanism further comprises:

18 a semi-cylindrical prong projecting from said arm; and

19 said prong having a first flattened surface for bearing against a correspondingly  
20 second flattened surface of said plunger during application of said downward force, thereby causing  
21 pivoting motion in said arm.

1 9. (Original). The rack of Claim 8, wherein said toggling mechanism further comprises said  
2 window being shaped to alternately swing said arm between said lower resting position and said  
3 upper resting position.

1 10. (Original). The rack of Claim 1, wherein said rack further comprises said bottom frame being

2      mounted substantially vertically to a display case so that said guides project laterally with respect  
3      to said case.

1      11. (Original). The rack of Claim 10, wherein said rack further comprises a rotating base mounted  
2      to said case thereby allowing said rack to revolve about a substantially vertical axis.

1      12. (Original). A display case comprises a first and second rack according to Claim 1.

1      13. (Original). The display case of Claim 12, wherein said first and second racks are mounted  
2      vertically such that a bottom frame of said first rack is oriented orthogonally to the bottom frame of  
3      said second rack.

1      14. (Original). The display case of Claim 13, wherein said case further comprises a rotating base  
2      thereby allowing said racks to revolve around a vertical axis.